	Application No.	Applicant(s)	
Mada	09/643,494 WU, WENQING		
Notice of Allowability	Examiner	Art Unit	
	Alexa A. Doroshenk	1764	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	cars on the cover sheet with the co (OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
 This communication is responsive to The allowed claim(s) is/are 1-3. The drawings filed on are accepted by the Examine 4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have * Certified copies of the priority documents have international Bureau (PCT Rule 17.2(a)). * Certified copies not received: Acknowledgment is made of a claim for domestic priority und (a) The translation of the foreign language provisional approximation of the solution of the so	ter 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this received in this received. adder 35 U.S.C. § 119(e) (to a provision opplication has been received.	national stage applica	tion from the
6. Acknowledgment is made of a claim for domestic priority ur Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of the complete the compl	this communication to file a reply co	mplying with the requ	irements noted
7. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which gives reason	itted. Note the attached EXAMINER'	S AMENDMENT or N	
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No. (b) including changes required by the proposed drawing c (c) including changes required by the attached Examiner's Identifying indicia such as the application number (see 37 CFR 1. each sheet. 9. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT FOR The 	orrection filed, which has be s Amendment / Comment or in the Cost(c)) should be written on the drawing sit of BIOLOGICAL MATERIAL m	en approved by the E office action of Paper I gs in the front (not the	No
Attachment(s)			
 1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5⊠ Information Disclosure Statements (PTO-1449), Paper No 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	2☐ Notice of Informa 4☐ Interview Summa 6☑ Examiner's Amen 8☐ Examiner's Stater 9☐ Other	ry (PTO-413), Paper adment/Comment	No

Application/Control Number: 09/643,494

Art Unit: 1764

K Au

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stanley R. Moore on September 17, 2003.

The application has been amended as follows:

On page 6, line 17 of the specification, deleted "4.4" and inserted --- 4.8 ---.

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 1 and 2 are to be labeled as "Prior Art". In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. The following is an examiner's statement of reasons for allowance: While the prior art does demonstrate a fluidized bed with a flow deflector which is an annular plate (such as element 32 of Rhee et al. 4,877,587) or a conical plate (such as in fig. 6 of Rhee et al. 4,877,587 or element 48 of Clarke 2,690,962), the prior art neither teaches nor suggests both conical and annular portions of flow deflector so as to form three distinct flow paths as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 09/643,494

Art Unit: 1764

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

4. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. The prior art is not relied upon for rejection, but solely to

demonstrate the state of the art.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Alexa A. Doroshenk whose telephone number is 703-

305-0074. The examiner can normally be reached on Monday - Thursday from 9:00 AM

- 7:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Glenn Caldarola can be reached on 703-308-6824. The fax phone number

for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

0661.

aggi

AAD

September 17, 2003

Page 3